

Date: Friday, 11/04/2008 9:02:34 AM
 User: Julie Lecocq

Process Sheet

| | | | |
|----------------------------------|---------------------------------------|-------------------------|---------------|
| Customer | : CU-DAR001 Dart Helicopters Services | Drawing Name | : GASKET |
| Job Number | : 38565 | | |
| Estimate Number | : 12719 | | |
| P.O. Number | : | Part Number | : D353625 |
| This Issue | : 11/04/2008 | S.O. No. | : |
| Prsht Rev. | : NC | Drawing Number | : D3536 REV A |
| First Issue | : / / | Project Number | : N/A |
| Previous Run | : 36636 | Drawing Revision | : A |
| | Type | Material | : |
| | : SMALL /MED FAB | Due Date | : 16/04/2008 |
| Written By | : | Qty: | 12 Um: Each |
| Checked & Approved By | : <u>JLO 08.4.11</u> | | |
| Comment | : Est Rev:A New Issue 07-02-14 JLM | | |

Additional Product

Job Number:



| | | |
|----------------|------------------------------|----------------------|
| Seq. #: | Machine Or Operation: | Description : |
|----------------|------------------------------|----------------------|

| | | |
|-----|-------------------------------------|----------------------|
| 1.0 | 4NE000S063 <u>D 2397</u> | NEOPRENE SHEET 0.063 |
|-----|-------------------------------------|----------------------|



163



Comment: Qty.: 0.6254 sf(s)/Unit Total: 7.5046 sf(s)

NEOPRENE SHEET 0.063

Batch: 16919 B 8-4-14

PTO →

| | | |
|-----|-----------|----------------|
| 2.0 | WATER JET | FLOW WATER JET |
|-----|-----------|----------------|

**Comment:** FLOW WATER JET

1-Cut as per Dwg D3536

Dwg Rev: AProg Rev: AB 8-4-14

2-Deburr if necessary

| | | |
|-----|-----|--|
| 3.0 | QC2 | INSPECT PARTS AS THEY COME OFF MACHINE |
|-----|-----|--|

B 8-4-14**Comment:** INSPECT PARTS AS THEY COME OFF MACHINE

| | | |
|-----|-----|--------------|
| 4.0 | QC8 | SECOND CHECK |
|-----|-----|--------------|

**Comment:** SECOND CHECK5 08/04/14 (x25)

| | | |
|-----|-------------|-----------------------|
| 5.0 | PACKAGING 1 | PACKAGING RESOURCE #1 |
|-----|-------------|-----------------------|

**Comment:** PACKAGING RESOURCE #1

Identify and Stock

Location: FPAS 08/04/14 (x25)

| W/O: | | WORK ORDER CHANGES | | | | | |
|----------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| 08/04/14 | 2.0 | | | | | | |
| | | | | | | | |

Part No: D3536-25 PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

| NCR: 38565 | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------------|------|--|-------------------------------|---------------------------------|----------------|---------------------------|-------------------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| 08.04.14 | 1.0 | USE P2397 P2397 FOR MNE060S063 (STILL NEOPRENE 60 1/16" THICK) | per Q5J 042 08.04.14 | ACCEPTABLE DEVIATION | 08/04/14 | 08/04/14 | per Q5J 042 08.04.14 | 08/04/14 |
| | | | | | 08/04/14 | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Date: Friday, 11/04/2008 9:02:34 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GASKET

Job Number: 38565

Part Number: D353625

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



08/04/15 *[Signature]*

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



mf 08-04-14

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

| | | |
|------------------------------|---------------|------------------------------|
| DART AEROSPACE LTD | | Work Order: 38865 |
| Description: Gasket | | Part Number: D3536-25 |
| Inspection Dwg: D3536 | Rev: A | Page 1 of 1 |

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Comments |
|-------------------|---------------|------------------|--------|--------|----------------------|----------|
| 21.80 | +/-0.030 | 22.00 | * | | | |
| 16.35 | +/-0.030 | 16.40 | * | | | |
| 10.90 | +/-0.030 | 10.93 | * | | | |
| 5.45 | +/-0.030 | 5.43 | * | | | |
| 6.00 | +/-0.030 | 6.00 | * | | | |
| 6.75 | +/-0.030 | 6.75 | * | | | |
| 12.75 | +/-0.030 | 12.75 | * | | | |
| 1.89 | +/-0.030 | 1.890 | * | | | |
| 0.30 | +/-0.030 | .315 | * | | | |
| 0.30 | +/-0.030 | .315 | * | | | |
| Ø0.19 | +0.005/-0.001 | .193 | * | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | | | |
|------------------------|--------------------------------|----------------------------|-----|
| Measured by: JB | Audited by: [Signature] | Prototype Approval: | N/A |
| Date: 8-4-14 | Date: 08/04/14 | Date: | N/A |

| Rev | Date | Change | Revised by | Approved |
|-----|----------|-----------|--------------------|-------------|
| A | 07.06.13 | New Issue | KJ/JLM [Signature] | [Signature] |

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |


NOTE: Date & initial all entries

DART


| | | | | |
|---------|----------|-------------|--------|--------------------------|
| DESIGN | CB | DRAWN BY | CB | DART AEROSPACE USA, INC. |
| CHECKED | PH | APPROVED | PH | PORT HADLOCK, WA |
| DATE | 06.10.25 | DRAWING NO. | D3536 | REV. A |
| | | TITLE | GASKET | SHEET 1 OF 6 |
| A | 06.10.25 | NEW ISSUE | | SCALE |
| | | | | 1:10 |

RELEASED

09-02-12-11



D3536-11 GASKET



D3536-13 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|--------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr. | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries


DART

| | | | |
|-------------------------|---|---|------------------------|
| DESIGN CB | DRAWN BY CB | DART AEROSPACE USA, INC. PORT HADLOCK, WA | |
| CHECKED PH | APPROVED  | DRAWING NO. D3536 | REV. A SHEET 2 OF 6 |
| DATE 06.10.25 | TITLE GASKET | | SCALE 1:10 |

FILED
07.02.12



D3536-15 GASKET



D3536-21 GASKET

- ## NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S-063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

UNCONTROLLED COPY
WITHOUT NOTICE
SUBJECT TO AMENDMENT
WORK ORDER
NO. 385165

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries


DART

| | | | | |
|---------|----------|-------------|--------|--------------------------|
| DESIGN | CB | DRAWN BY | CB | DART AEROSPACE USA, INC. |
| CHECKED | AM | APPROVED | AM | PORT HADLOCK, WA |
| DATE | 06.10.25 | DRAWING NO. | D3536 | REV. A |
| | | TITLE | GASKET | SHEET 3 OF 6 |
| | | SCALE | 1:10 | |

RELEASED
07-02-12



D3536-23 GASKET



D3536-25 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38514

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries


DART

| | | | | |
|---------|----------|--------------|-------|--------------------------|
| DESIGN | CB | DRAWN BY | CB | DART AEROSPACE USA, INC. |
| CHECKED | PH | APPROVED | PH | PORT HADLOCK, WA |
| DATE | 06.10.25 | DRAWING NO. | D3536 | REV. A |
| TITLE | GASKET | SHEET 4 OF 6 | SCALE | 1:10 |


RELEASED
07.02.12



D3536-33 GASKET



D3536-35 GASKET



D3536-31 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38564

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____



| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

DART

| | | | | |
|---------|----------|-------------|--------|--------------------------|
| DESIGN | CB | DRAWN BY | CB | DART AEROSPACE USA, INC. |
| CHECKED | PH | APPROVED | PH | PORT HADLOCK, WA |
| DATE | 06.10.25 | TITLE | GASKET | REV. A |
| | | DRAWING NO. | D3536 | SHEET 5 OF 6 |
| | | SCALE | 1:10 | |

07.02.02
PH



NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE080-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries


DART

| | | | | | |
|----------|----|----------|--------------------|--------------------------|--------------|
| DESIGN | CB | DRAWN BY | CB | DART AEROSPACE USA, INC. | |
| CHECKED | PH | APPROVED | <i>[Signature]</i> | PORT HADLOCK, WA | |
| | | | | DRAWING NO. | REV. A |
| | | | | D3536 | SHEET 6 OF 6 |
| DATE | | | | TITLE | SCALE |
| 06.10.25 | | | | GASKET | 1:10 |

07.02.12 ~~4~~



D3536-41 GASKET



NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Copyright © 2006 by DART AEROSPACE USA, INC.

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries